

# AppleScript Language Guide

# Contents

## **Introduction to AppleScript Language Guide** 12

What Is AppleScript? 12

Who Should Read This Document? 13

Organization of This Document 13

Conventions Used in This Guide 14

See Also 15

## **AppleScript Lexical Conventions** 16

Character Set 16

Identifiers 17

Keywords 17

Comments 19

The Continuation Character 19

Literals and Constants 20

    Boolean 20

    Constant 20

    List 20

    Number 20

    Record 21

    Text 21

Operators 21

Variables 22

Expressions 22

Statements 23

Commands 23

Results 24

Raw Codes 24

## **AppleScript Fundamentals** 25

Script Editor Application 25

AppleScript and Objects 27

    What Is in a Script Object 27

    Properties 29

    Elements 29

- Object Specifiers 30
  - What Is in an Object Specifier 30
  - Containers 31
  - Absolute and Relative Object Specifiers 32
  - Object Specifiers in Reference Objects 32
- Coercion (Object Conversion) 34
- Scripting Additions 36
- Commands Overview 37
  - Types of Commands 37
  - Target 38
  - Direct Parameter 39
  - Parameters That Specify Locations 40
- AppleScript Error Handling 40
- Global Constants in AppleScript 41
  - AppleScript Constant 41
  - current application Constant 44
  - missing value Constant 45
  - true, false Constants 45
- The it and me Keywords 45
- Aliases and Files 47
  - Specifying Paths 47
  - Working With Aliases 48
  - Working With Files 49
- Remote Applications 50
  - Enabling Remote Applications 50
  - eppc-Style Specifiers 50
  - Targeting Remote Applications 51
- Debugging AppleScript Scripts 52
  - Feedback From Your Script 52
  - Logging 52
  - Third Party Debuggers 53
- Variables and Properties 54**
  - Defining Properties 54
  - Declaring Variables 55
    - Local Variables 55
    - Global Variables 56
  - Using the copy and set Commands 57
- Scope of Variables and Properties 60

- Scope of Properties and Variables Declared in a Script Object 61
- Scope of Variables Declared in a Handler 65

## **Script Objects** 68

- Defining Script Objects 68
- Initializing Script Objects 70
- Sending Commands to Script Objects 71
- Script Libraries 72
  - Creating a Library 73
  - Using a Library 74
- Inheritance in Script Objects 75
  - The AppleScript Inheritance Chain 75
  - Defining Inheritance Through the parent Property 76
  - Some Examples of Inheritance 76
  - Using the continue Statement in Script Objects 79

## **About Handlers** 83

- Handler Basics 83
  - Defining a Simple Handler 84
  - Handlers with Labeled Parameters 85
  - Handlers with Positional Parameters 86
  - Handlers with Patterned Positional Parameters 87
  - Handlers with Interleaved Parameters 88
  - Recursive Handlers 89
  - Errors in Handlers 90
  - Passing by Reference Versus Passing by Value 90
  - Calling Handlers in a tell Statement 91
- Handlers in Script Applications 91
  - run Handlers 92
  - open Handlers 94
  - idle and quit Handlers for Stay-Open Applications 94
- Calling a Script Application From a Script 96

## **Class Reference** 98

- alias 98
- application 99
- boolean 102
- class 104
- constant 105
- date 106

[file](#) 110  
[integer](#) 110  
[list](#) 112  
[number](#) 115  
[POSIX file](#) 116  
[real](#) 116  
[record](#) 118  
[reference](#) 120  
[RGB color](#) 121  
[script](#) 121  
[text](#) 123  
[unit types](#) 130

## **Commands Reference** 133

[activate](#) 136  
[ASCII character](#) 137  
[ASCII number](#) 138  
[beep](#) 139  
[choose application](#) 139  
[choose color](#) 141  
[choose file](#) 142  
[choose file name](#) 144  
[choose folder](#) 145  
[choose from list](#) 147  
[choose remote application](#) 149  
[choose URL](#) 150  
[clipboard info](#) 151  
[close access](#) 152  
[copy](#) 153  
[count](#) 154  
[current date](#) 155  
[delay](#) 155  
[display alert](#) 156  
[display dialog](#) 158  
[display notification](#) 162  
[do shell script](#) 163  
[get](#) 164  
[get eof](#) 166  
[get volume settings](#) 167

[Click here to download full PDF material](#)