

Red Hat Enterprise Linux 7

Installation Guide

Installing Red Hat Enterprise Linux 7.5 on all architectures

Last Updated: 2018-08-15

Red Hat Enterprise Linux 7 Installation Guide

Installing Red Hat Enterprise Linux 7.5 on all architectures

Petr Bokoč Red Hat Customer Content Services pbokoc@redhat.com

Clayton Spicer Red Hat Customer Content Services

Tomáš Čapek Red Hat Customer Content Services

Barbora Ančincová Red Hat Customer Content Services

Yoana Ruseva Red Hat Customer Content Services

Brian Exelbierd Red Hat Customer Content Services

Jack Reed Red Hat Customer Content Services

Radek Bíba Red Hat Customer Content Services

Zac Dover Red Hat Customer Content Services

Legal Notice

Copyright © 2018 Red Hat, Inc. and others.

This document is licensed by Red Hat under the <u>Creative Commons Attribution-ShareAlike 3.0</u> <u>Unported License</u>. If you distribute this document, or a modified version of it, you must provide attribution to Red Hat, Inc. and provide a link to the original. If the document is modified, all Red Hat trademarks must be removed.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This manual explains how to boot the Red Hat Enterprise Linux 7.5 installation program (Anaconda) and how to install Red Hat Enterprise Linux 7.5 on AMD64 and Intel 64 systems, 64-bit ARM systems, 64-bit IBM Power Systems servers, and IBM z Systems servers. It also covers advanced installation methods such as Kickstart installations, PXE installations, and installations over VNC. Finally, it describes common post-installation tasks and explains how to troubleshoot installation problems. Information on installing Red Hat Enterprise Linux Atomic Host can be found in the Red Hat Enterprise Linux Atomic Host Installation and Configuration Guide.

Table of Contents

CHAPTER 1. GETTING STARTED 1.1. GRAPHICAL INSTALLATION	7
1.2. REMOTE INSTALLATION 1.3. AUTOMATED INSTALLATION	7 7
CHAPTER 2. DOWNLOADING RED HAT ENTERPRISE LINUX	. 9
CHAPTER 3. MAKING MEDIA	
3.1. MAKING AN INSTALLATION CD OR DVD	12
3.2. MAKING INSTALLATION USB MEDIA	12 17
3.3. PREPARING INSTALLATION SOURCES PART I. AMD64, INTEL 64, AND ARM 64 - INSTALLATION AND BOOTING	25
CHAPTER 4. QUICK INSTALLATION GUIDE	
4.1. INTERACTIVE INSTALLATION 4.2. AUTOMATIC INSTALLATION	26 31
CHAPTER 5. PLANNING FOR INSTALLATION ON 64-BIT AMD, INTEL, AND ARM SYSTEMS	34 34
5.2. IS YOUR HARDWARE COMPATIBLE?	34
5.3. SUPPORTED INSTALLATION TARGETS	35
5.4. SYSTEM SPECIFICATIONS LIST	35
5.5. DISK SPACE AND MEMORY REQUIREMENTS	36
5.6. RAID AND OTHER DISK DEVICES	37
5.7. CHOOSE AN INSTALLATION BOOT METHOD	38
5.8. AUTOMATING THE INSTALLATION WITH KICKSTART	39
5.9. USING A BETA RELEASE WITH UEFI SECURE BOOT	39
CHAPTER 6. UPDATING DRIVERS DURING INSTALLATION ON AMD64 AND INTEL 64 SYSTEMS	41
6.1. LIMITATIONS OF DRIVER UPDATES DURING INSTALLATION	41
6.2. PREPARING FOR A DRIVER UPDATE DURING INSTALLATION	42
6.3. PERFORMING A DRIVER UPDATE DURING INSTALLATION	43
CHAPTER 7. BOOTING THE INSTALLATION ON 64-BIT AMD, INTEL, AND ARM SYSTEMS	47
7.1. STARTING THE INSTALLATION PROGRAM	47
7.2. THE BOOT MENU	49
CHAPTER 8. INSTALLING USING ANACONDA	51
8.1. INTRODUCTION TO ANACONDA	51
8.2. CONSOLES AND LOGGING DURING THE INSTALLATION	51
8.3. INSTALLING IN TEXT MODE	52
8.4. INSTALLING IN THE GRAPHICAL USER INTERFACE	54
8.5. WELCOME SCREEN AND LANGUAGE SELECTION	55
8.6. THE INSTALLATION SUMMARY SCREEN	56
8.7. DATE & TIME	58
8.8. LANGUAGE SUPPORT 8.9. KEYBOARD CONFIGURATION	60 60
8.9. REYBOARD CONFIGURATION 8.10. SECURITY POLICY	62
8.11. INSTALLATION SOURCE	64
8.12. NETWORK & HOSTNAME	65
8.13. SOFTWARE SELECTION	69
8.14. INSTALLATION DESTINATION	71
8.15. STORAGE DEVICES	93

Click here to download full PDF material